



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY, FLORIDA
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

Stanley Security Solutions, Inc.
6161 E 75th Street
Indianapolis, IN 46250

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/ or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "ARM-A-DOR" Panic Exit Device – Component Approval

APPROVAL DOCUMENT: Drawing No. A100-NS Rev. "B", Sheets 01 through 02 of 02, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 03/09/99 and last revised 02/06/14, signed and sealed by Warren W. Schaefer, P. E., bearing the Miami-Dade County Product Control Section Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LIMITATION:

1. Max Design Pressure = \pm 85 PSF, Single Steel Door application (48" x 86" max panel, Door under separate approval)
2. Electrical installation (under separate approval) and egress requirement to be reviewed by appropriate Building official, having jurisdiction.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/ or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA No. 11-1116.02 and consists of this page 01 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by Jaime D. Gascon, P.E.



Jaime D. Gascon
5/2/14

NOA No. 14-0421.04
Expiration Date: March 09, 2017
Approval Date: June 05, 2014
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
(Submitted under previous NOA No. 07-1219.12)
2. Drawing No. A100-NS Rev "B", Sheets 01 through 02 of 02, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 03/09/99 and last revised 02/06/14, signed and sealed by Warren W. Schaefer, P. E.

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94 ..
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94
along with marked-up drawings and installation diagram of a Panic exit devices, prepared by Hurricane Testing Laboratory, Inc., Test Report No. HTL-0116-0601-07, dated 06/27/07, signed and sealed by Vinu J. Abraham, P.E.
(Submitted under previous NOA No. 07-1219.12)
2. Test reports on: 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
2) Large Missile Impact Test per FBC, TAS 201-94
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94
4) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94
along with marked-up drawings and installation diagram of a Panic exit devices, prepared by Hurricane Testing Laboratory, Inc., Test Report No. HTL-0116-1205-96, dated 12/10/96, signed and sealed by Timothy S. Marshall, P.E.
(Submitted under previous NOA No. 96-1127.02)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC-2010, prepared by W. W. Schaefer Engineering & Consulting, P.A., dated 11/14/11, signed and sealed by Warren W. Schaefer, P. E.
(Submitted under previous NOA No. 11-1116.02)
2. Glazing complies with ASTM E1300-04

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. None.



Jaime D. Gascon, P. E.
Product Control Section Supervisor
NOA No. 14-0421.04
Expiration Date: March 09, 2017
Approval Date: June 05, 2014

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS

1. Statement letter of no financial interest, independence, conformance to and complying with **Florida Building Code 5th Edition (2014)**, issued by W. W. Schaefer Engineering & Consulting, P.A., dated 04/15/14, signed and sealed by Warren W. Schaefer, P. E.
2. Letter from owners of existing NOA stating that they have tranfered all assets to the applicant, that they no longer manufacture the product and relinquish their rights to the current NOA, dated 01/21/14, signed by Ed Miller of Sargent & Greenleaf, Inc.
3. Certificate of Conversion dated 01/21/14, signed by Kara J. Dean, converting **Sargent & Greenleaf, Inc.** into **Stanley Security Solutions, Inc.**, filed with the State of Indiana on 01/21/14.
4. Name changed to **Stanley Security Solutions, Inc.** as registered in the Indiana Department of State, Division of Corporation, document dated 04/09/14.
5. Statement letter of no financial interest, independence, conformance to and complying with **FBC-2010**, issued by W. W. Schaefer Engineering & Consulting, P. A., dated 11/14/11, signed and sealed by Warren W. Schaefer, P. E.
(Submitted under previous NOA No. 11-1116.02)
6. Laboratory compliance letter for Test Report No. **HTL-0116-0601-07**, issued by Hurricane Testing Laboratory, Inc., dated 06/27/07, signed and sealed by Vinu J. Abraham, P. E.
(Submitted under previous NOA No. 07-1219.12)
7. Laboratory compliance letter for Test Report No. **HTL-0116-1205-96**, issued by Hurricane Testing Laboratory, Inc., dated 12/10/96, signed and sealed by Timothy S. Marshall, P. E.
(Submitted under previous NOA No. 96-1127.02)

G. OTHERS

1. Notice of Acceptance No. **11-1116.02**, issued to Sargent & Greenleaf, Inc. for their Series **"ARM-A-DOR Panic Exit Device - Component Approval"**, approved on 02/02/12 and expiring on 03/09/17.



Jaime D. Gascon, P. E.
Product Control Section Supervisor
NOA No. 14-0421.04
Expiration Date: March 09, 2017
Approval Date: June 05, 2014

REVISIONS △ = CHANGED IN THIS REVISION				
REV.	ECN/CAF	BY	DATE	APR. BY
A	RELEASE	BDH	2/6/2014	RAS

ITEM	QTY	DESCRIPTION
NA	2	9-VOLT ALKALINE BATTERY
1	1	LOCK ASSEMBLY
2	1	TAILPIECE
3	1	EXTENSION ROD (AUTO UNITS ONLY)
4	8	THREAD-FORMING SCREW (#8-3/8" LG)
5	1	END CAP (FOR TAILPIECE)
6	4	DOOR BRACKET (3 1/2" X 2")
7	2	HEX HEAD BOLT (3/8" X 2 1/2" LG)
8	8	FLAT WASHER (3/8")
9	4	STAR LOCK WASHER (3/8")
10	6	HEX NUT (3/8"-16)
11	2	SUPPORT SLEEVE (1 1/4" LG)
12	4	CARRIAGE BOLT (3/8" X 2 1/2" LG)
13	4	SUPPORT TUBE (1 5/8" LG)
14	4	BOLT WASHER
15	1	STRIKE FLATE
16	1	RELEASE BRACKET (AUTO UNITS ONLY)
17	5	SELF-TAPPING SCREW (#10 X 3/4" LG)
NA	1	DRILL TEMPLATE
19	2	END CAP (FOR PUSH BAR)
20	8	SCREW (#6 X 3/4" LG)
21	1	EMERGENCY LABEL
22	1	EXTENSION COLLAR
23	2	SPLIT LOCK WASHER (3/8")
24	5	STAR LOCK WASHER (#10)
25	4	DOOR SPACER
26	4	DOOR BRACKET (1 1/2" X 2")
27	4	CARRIAGE BOLT (3/8" X 3 1/2" LG)
28	4	CAP (GRAY)

MODEL NUMBER	DESCRIPTION
A101-001	AUTOMATIC LOCK ASSEMBLY
A102-001	MANUAL LOCK ASSEMBLY
A101-002	AUTOMATIC LOCK ASSEMBLY WITH ALARM
A102-002	MANUAL LOCK ASSEMBLY WITH ALARM


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 14-0421.04
Expiration Date 03/09/2017
By *[Signature]*
Miami Dade Product Control




APR 15 2014

WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
FLORIDA REG. #PE0044135




W.W. SCHAEFER ENGINEERING
& CONSULTING, P.A. (CA #6809)
7480 150th COURT NORTH
PALM BEACH GARDENS, FL 33418




48.00 WIDTH UNIT SHOWN

<div>THIRD ANGLE PROJECTION</div> <div></div> <div>MATERIAL: SEE CHART</div> <div>FINISH:</div> <div>HARDNESS:</div>	ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED		SPECIFICATIONS ARE TO BE INTERPRETED ACCORDING TO ASME Y14.5M-1994.	STANLEY Security		STANLEY SECURITY 6161 E. 75TH STREET INDIANAPOLIS, IN 46250	
	<div>XXX = BASIC DIMENSION</div>	<div>DUAL DIMENSIONS TO BE SHOWN AS: INCH (Millimeter)</div>		BRAND PHI	PRODUCT FAMILY EXITS		
	CTO'S TO BE INTERPRETED ACCORDING TO SP02.3.BAS (O)				PROJECT SHEET 1 OF 2		
"CONFIDENTIAL - This document and all information contained herein is the sole property of Stanley Security Solutions, Inc. and may not be disclosed to unauthorized persons or reproduced by any means or used for any purpose other than that submitted without the express written permission from Stanley Security Solutions, Inc."			TITLE ARM-A-DOR PANIC DEVICE INSTALLATION DRAWING				SCALE NTS SIZE B
"Export of this document to countries outside the United States is subject to U.S. export administration regulations."			OFFINGS A100-INS				
"Copyright © 2014 Stanley Security Solutions, Inc. All Rights Reserved."							

REVISIONS △ = CHANGED IN THIS REVISION				
REV.	ECN/EAF	BY	DATE	APR. BY
A	RELEASE	BDH	2/6/2014	RAS




FOR DOOR JAMB WIDTH
ABOVE 40.00, USE
EXTENSION COLLAR
AS SHOWN



CROSS SECTION (TOP) VIEW

ELEVATION (FRONT) VIEW





APR 15 2014

WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
FLORIDA REG. #PE0044135

W.W. SCHAEFER ENGINEERING
& CONSULTING, P.A. (CA #6809)
7480 150th COURT NORTH
PALM BEACH GARDENS, FL 33418

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 14-0421.04
Expiration Date 03/09/2017
By *[Signature]*
Miami Dade Product Control

<div>THIRD ANGLE PROJECTION</div> <div></div>	ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED		<div>SPECIFICATIONS ARE TO BE INTERPRETED ACCORDING TO ASME Y14.5M-1994.</div>	<div>STANLEY.</div> <div>Security</div>		<div>STANLEY SECURITY</div> <div>6161 E. 75TH STREET</div> <div>INDIANAPOLIS, IN 46250</div>	
	<div><div>III</div> = BASIC DIMENSION</div>	<div>DUAL DIMENSIONS TO BE SHOWN AS: INCH (Millimeter)</div>		<div>BRAND</div> <div>PHI</div>	<div>PRODUCT FAMILY</div> <div>EXITS</div>		
	<div>C/O'S TO BE INTREPRETED ACCORDING TO SP02.3.BAS ()</div>			<div>PROJECT</div> <div>SHEET</div>	<div>2 OF 2</div>		
	<div>*CONFIDENTIAL - This document and all information contained herein is the sole property of Stanley Security Solutions, Inc. and may not be disclosed to unauthorized persons or reproduced by any means or used for any purpose other than that submitted without the express written permission from Stanley Security Solutions, Inc.*</div>			<div>TITLE</div> <div>ARM-A-DOR, PANIC DEVICE</div>	<div>SCALE</div> <div>NTS</div>		
<div>MATERIAL:</div> <div>SEE CHART</div>	<div>*Export of this document to countries outside the United States is subject to U.S. export administration regulations.*</div>		<div>INSTALLATION DRAWING</div>		<div>SIZE</div> <div>B</div>		
<div>FINISH:</div>	<div>Copyright © 2014 Stanley Security Solutions, Inc. All Rights Reserved.*</div>		<div>DRAWING</div> <div>A100-INS</div>				
<div>HARDNESS:</div>							